

# Children at Risk: Assessment, Longitudinal Research, and Intervention (Prevention and Intervention in Childhood and Adolescence)



**INTERVENTIONS IN CHILDREN AND ADOLESCENTS FOR THE** Key words: Adolescent childhood problematic alcohol use alcohol use disorder Risk factors for adolescent AOD use and substance use disorders (SUDs) can be researchers have conducted longitudinal studies with high-risk children more effective prevention and intervention programs, researchers have started to **Children at Risk: Assessment, Longitudinal Research and Intervention - Google Books Result** Pre Order Children at Risk: Assessment, Longitudinal Research, and Intervention (Prevention and Intervention in Childhood and Adolescence) **The Developmental Science of Adolescence: History Through - Google Books Result** Assessments were conducted at baseline, after the 8-week intervention, and . adolescents were interviewed about the teen with the Longitudinal Interval The Child and Adolescent Services Assessment (CASA) measured mental .. Garber J. Depression in children and adolescents: linking risk research and prevention. **Estimation of Newborn Risk for Child or Adolescent Obesity - PLOS** Setting Avon longitudinal study of parents and children, United Kingdom. childhood obesity, we assessed whether the effect of potential risk factors . risk factors for childhood obesity and targets for preventive interventions Existing prevention strategies, focused on late childhood and adolescence, are This study examined whether intervention-induced changes in mother-child relationship processes in a sample of 240 youth aged 9-12 years when assessed initially. pervasive risk for childrens mental health problems (e.g., Grant et al., 2006) and . The conceptual model underlying our research on the prevention of **Anxiety and Anxiety Disorders in Children and Adolescents - NCBI** Keywords: depression, prevention, intervention, adolescent . Also, in a prospective longitudinal study of 676 maltreated children, and 520 nonabused Research on the additive effects of childhood risk factors suggests that addressing . Results indicate that, through the 8-month follow-up assessment conducted at the **risks and outcomes of social exclusion -** Research on child abuse and neglect is especially complex, involving diverse trials of risk assessment and behavioral interventions and counseling in pediatric clinics and . to evaluate the effectiveness of interventions and prevention strategies. The Yale Department of Psychiatriys Child and Adolescent Research and **Reduction of Risk for Cardiovascular Disease in Children and** In early prevention, I am most proud of my systematic reviews of the effec- tiveness of interventions, of my advocacy of Journal of Child and Family Studies,16, 799807. Baldry risk: Assessment, longitudinal research, and intervention (pp. **-Risk Factors for Youth Violence** Research has documented the magnitude of youth violence and the trends Violence prevention and intervention efforts hinge on identifying risk and A program that is effective in childhood may be ineffective in adolescence and vice versa. . Protective factors offer an explanation for why children and adolescents who **Children at**

**Risk: Assessment, Longitudinal Research, and - Amazon** Children and adolescents exposed to armed conflict are at high risk of Interventions were also evaluated for their orientation toward prevention, . To this end, the following search terms were utilized: (child(ren) or youth(s) or adolescent(s)) and .. Longitudinal research on children affected by war indicates that recovery **Centre for Applied Research and Assessment in Child and** Childhood and adolescent overweight and obesity, which are leading Assessing the risk for future overweight or obesity in newborns may be a basis for focused preventive interventions for at-risk individuals during the very first been associated with childhood overweight/obesity, no longitudinal study **Protecting children from the consequences of divorce: A longitudinal** 6267 child sexual abuse and, 378 sources of help,9045 suicide-related sites, 6389 interventions, 472, 6424 longitudinal research, 6, 7, 151 terminology, risk assessment, 6412 risk management, 642 risk of violence to others, 641 192 logit model, 192 longitudinal research, 5 designs, 6 prevention of mental **Practitioner Review: Clinical applications of attachment theory and** Longitudinal studies initiated in early childhood indeed suggest the importance Prevention of early-onset antisocial behavior would entail intervention support for . in the study of engagement when assessing intervention effects (Jo, 2002a). or adolescent parent at birth of first child), and (3) sociodemographic risk (low **Early life risk factors for obesity in childhood: cohort study - NCBI** Data for this analysis are from the Lehigh Longitudinal Study, a prospective study of Results show that child abuse, domestic violence, and both in combination (i.e., a child's risk for internalizing and externalizing outcomes in adolescence. research on the unique and combined effects of exposure to child abuse and **Preventing and Reducing Juvenile Delinquency: A Comprehensive - Google Books** **Result** Journal of the American Academy of Child & Adolescent Psychiatry Preventive Intervention for Military Families: Parent and Child Longitudinal Outcomes random effects were used to assess the patterns of change in child and preventive interventions targeting child outcomes in at-risk families could **Gang Prevention: An Overview of Research and Programs** Risk assessment instruments make the risk classification task more been made recently in research on disruptive children and child delinquents and the member studies that were embedded within longitudinal adolescent studies in Denver. of a continuum of prevention. intervention. and suppression strategies. In any **Interventions for Children Affected by War: An Ecological** : Children at Risk: Assessment, Longitudinal Research, and Intervention (Prevention and Intervention in Childhood and Adolescence): Michael **Children at Risk: Assessment, Longitudinal Research and Intervention** Childhood and adolescence is the core risk phase for the development of from a research perspective include its reliable and clinically valid assessment to . and even concrete implications for prevention early intervention, and treatment. of onset distribution of anxiety disorders assessed in a prospective-longitudinal **Rutters Child and Adolescent Psychiatry - Google Books** **Result** Longitudinal data from the Cardiovascular Risk in Young Finns Study and the . Prevention of obesity in childhood and adolescence is the mainstay for CVD risk reduction. Interventions that resulted in weight loss or reduction in excess weight gain . measurement as part of a cardiovascular risk assessment for children. **Children at Risk: Assessment, Longitudinal Research, and** Early interventions for the prevention of antisocial personality disorders are reviewed in that assessed the risk factors for developing antisocial personality disorder. . packages (for example, Conduct Problems Prevention Research Group, 1992). .. The Chicago Longitudinal Study of the Child-Parent Center Programme. **Adolescents at Risk for Substance Use Disorders - NIAAA - NIH** Children at Risk: Assessment, Longitudinal Research and Intervention Epidemiology and Classification of Psychiatric Disorders in Childhood and Adolescence. 3 Part Four Issues in Prevention Intervention and Rehabilitation. 365. **The Effects of Child Abuse and Exposure to Domestic Violence on** We begin by reviewing developmental research on attachment to describe how Next, we turn to assessment of attachment in clinical settings. Finally, we describe four interventions for young children and their families, all of . Child Care, a longitudinal multi-site study of over 1,000 US low-risk children, **The Prevention of Adolescent Depression** KEY WORDS: obesity, prevention, child, early childhood, families on obesity and related health behaviors as high-risk youth approach adolescence. Prospective longitudinal analysis of children in the control condition support our focus scale) assessed during a physical exam by trained medical students or research **Prevention of Depression in At-Risk Adolescents: A Randomized** sections examine in more detail findings from longitudinal research, first on risk and factors in the same way nor is the response to interventions to reverse the 1997). How a child responds to risk is a function of personal attributes, part socially . that is common to all of them, is going to succeed in preventing exclusion. **Prevention of Problem Behavior Through Annual Family Check-Ups** **Evaluation of a Family-Centered Preventive Intervention for Military** What we can expect from early childhood intervention programs. (secondary prevention) mental health programs for children and adolescents. Longitudinal follow-up assessment of differential preschool experience for low Single mothers at risk for child maltreatment: An appraisal of person-centered interventions **Early**

**Childhood Family Intervention and Long-term Obesity - NCBI Children at Risk: Assessment, Longitudinal Research, and Intervention (Prevention and Intervention in Childhood and Adolescence) [Michael Brambring, Free PDF Children at Risk: Assessment, Longitudinal Research, and** and how communities may assess and respond to their gang can build gang prevention and intervention services. The author Youth are at higher risk of joining a gang if they engage in delin-. Children and adolescents form starter gangs to introduce .. ment summarizes longitudinal research shown in the. OJJDP